Index

*, 82
- to begin command options, 75
.bash_profile, 109
.bashrc, 109
.profile, 109
.tcshrc, 109
.xinitrc, 140
/
  in pathnames, 67
  root directory name, 68
/Image, 114
/bin/bash, 81
/bin/csh, 81
/bin/sh, 81
/bin/tcsh, 81
/dev/console, 78
/dev/cua, 78
/dev/hd, 78
/dev/lp, 78
/dev/null, 78
/dev/pty, 79
/dev/tty, 78
/dev/ttyS, 78
/etc, 79
/etc/Image, 114
csh.login, 109
/etc/fstab, 128
/etc/getty, 131
/etc/group
  format of, 119
/etc/host.conf, 148
/etc/hosts, 147
/etc/init, 131
/etc/inittab, 131
/etc/networks, 148
/etc/passwd, 117
/etc/profile, 109
/etc/rc, 131
/etc/rc.local, 131
/etc/resolve.conf, 148
/etc/zImage, 114
/home, 79
/lib, 79
/proc, 79
  mounting of, 129
/sbin, 79
/tmp, 79
/usr, 79
/usr/X386, 79
/usr/etc, 80
/urs/g++-include, 80
/usr/include, 80
/usr/lib, 80
/usr/lib/X11/Xconfig, 139
/usr/local, 80
/usr/man, 80
/usr/src, 80
/var, 80
/var/adm, 81
/var spool, 81
/vmlinux, 114
/zImage, 114
<, 86
>, 85
?, 83
~
  to refer to home directory, 69
386BSD, 23

account
  creating, 64
addgroup, 119
adding users, 116

with `adduser`, 118
with `useradd`, 118
`adduser`, 118
alpha, 18
archiving files, 120–122
argument
command
defined, 66

`backflops`, 123
background process, 93
backgrounding jobs, 95
backups, 123
incremental, 123
multi-volume, 123
to floppy disk, 123
`bash`, 81
BBS list, 196–200
BBS software, 13
FidoNet, 14
beta, 18
`bg`, 96
`/bin`, 78
books, 161–164
boot floppy, 50, 133
creating, 114
boot scripts, 131
booting, 43, 113–115
from maintenance floppy, 133
problems, 52–54, 60
with LILO, 114–115
booting Linux
with boot floppy, 114
booting non-Linux systems, 114
Bourne again shell, 81
Bourne shell, 6, 81
broadcast address
defined, 144
bugs, 18

C News, 155
C Shell (`csh`), 6, 81
`cat`, 77
to view file contents, 74
`cd`, 70–71, 75
`chfn`, 119
`chmod`, 90
`chsh`, 119
client
news
defined, 155
Coherent, 24
command
argument
defined, 66
defined, 66
`command not found` error message, 66
commands
`-` to begin options, 75
grouping with shell scripts, 105
summary of basic, 75–77
commercial support, 33
`compress`, 121
compressing files, 120–122
configuration scripts
for TCP/IP, 145
console
defined, 65
device name for, 78
virtual, 65
copy files, 73
copying Linux, 15–17, 23, 201–207
copyright, 15–17, 201–207
core dumps, 5
`cp`, 73, 76
`csh`, 6
current working directory
defined, 68

databases, 15
debugging
core dumps, 5
delete
directory, 74
files, 74
deleting users, 118
`deluser`, 118
`/dev`, 78
`/dev/sd`, 78

/dev/sr, 78
/dev/st, 78
development
  alpha, 18
  beta, 18
  conventions, 18
device driver, 78
devices
  /dev/console, 78
  /dev/cua, 78
  /dev/hd, 78
  /dev/lp, 78
  /dev/null, 78
  /dev/pty, 79
  /dev/sd, 78
  /dev/sr, 78
  /dev/st, 78
  /dev/tty, 78
  /dev/ttyS, 78
  accessing, 78
  console, 78
  fd, 78
  floppy disk, 78
  hard drives, 78
  null, 78
  parallel ports, 78
  pseudo-terminals, 79
  SCSI, 78
  serial ports, 78
  virtual consoles, 78
dip, 150
  chat script for, 152–154
  connecting to SLIP server with, 152–154
  dynamic IP address with, 152
  static IP address with, 150
directory
  . to refer to, 70
  /etc, 79
  /home, 79
  /lib, 79
  /proc, 79
  /sbin, 79
  /tmp, 79
  /usr, 79
  /usr/X386, 79
  /usr/bin, 80
  /usr/etc, 80
  /urs/g++-include, 80
  /usr/include, 80
  /usr/lib, 80
  /usr/local, 80
  /usr/man, 80
  /usr/src, 80
  /var, 80
  /var/adm, 81
  /var spool, 81
  /bin, 78
  creating, 73
  current working
    defined, 68
  defined, 67
  delete, 74
  /dev, 78
  home
    ~ to refer to, 69
    defined, 68
  listing contents of, 71–72
  nesting, 67
  parent, 67
    .. to refer to, 70
  permisions
    execute, 88
    read, 88
    write, 88
  permissions
    changing, 90
    dependencies of, 90
  root
    defined, 68
  structure, 68
    moving around in with cd, 70
  tree, 68
  working
    defined, 68
disabling users, 118
disasters
  recovery from, 132–135
    with maintenance floppy, 133

distributions, 19, 35–37
    Internet, getting from the, 36
    list, 165–188
    mail order, 37
    online sources, 37
documentation, 158–164
    books, 30, 161–164
    Frequently Asked Questions, 158
    HOWTO documents, 159
    info files, 8
    Linux Documentation Project, 30, 160–161
    Linux Software Map, 15
    online, 29, 158–160
        FAQ, 29
        HOWTO documents, 29
    `texinfo`, 8

e-mail, 155
    mailer
        defined, 155
    transport
        defined, 155
`e2fsck`, 129, 134
`echo`, 77
editor
    defined, 98
editors, 6
`efsck`, 130
`elm`, 155
Emacs, 6, 98
emergencies
    recovery from, 132–135
        with maintenance floppy, 133
end-of-text signal, 85
environment
    customizing, 104–109
    variables
        `PATH`, 108
EOT (end of text) signal, 85
error messages
    error messages
        `command not found`, 66
ethernet, 12
    supported cards, 142
executable
    defined, 71
executables, 5
`exit`, 66
`export`, 106

FAQ, 29
`fdisk`, 41, 44–47
    under MS-DOS, 41
features
    kernel, 4–5
    system, 4–5
`fg`, 96
FidoNet, 14
file
    copy, 73
    delete, 74
    executable
        defined, 71
    move, 73
filename
    defined, 67
filenames
    wildcard characters in, 82–84
files
    appeding to, 88
    archiving, 120–122
    backing up, 123
    compressing, 120–122
    defined, 67
    device, 78
    hidden
        not matched by wildcards, 83
    inode numbers of, 91
    links, 91–92
    listing, 71–72
    listing permissions of with `ls`, 89
    MS-DOS, 141
    owership of by group, 88
    owership of by user, 88
    permisions
        execute, 88
        read, 88

write, 88
permissions
changing, 90
defined, 88
dependencies of, 90
group, 119
interpreting, 89
permissions of, 88–91
recovering, 134
viewing contents of, 74
filesystem
exploring, 77–81
filesystems, 5, 39, 128–130
/etc/fstab, 128
checking, 129
creating, 48–49
fixing corrupted, 134
mounting, 128–129
on floppy disk, 123
root, 39
unmounting, 129
unmounting with shutdown or halt, 129
filter
defined, 86
find
for incremental backups, 123
FIPS, 41
floating-point math, 5
floppy disk
boot/root, 133
device names for, 78
maintenance, 133
unmounting, 124
floppy disks
as backup medium, 123
file systems on, 123
forground process, 93
free software, 16
Free Software Foundation, 15, 201
Frequently Asked Questions, 158
fsck, 130, 134
FTP
anonymous, 36
archive site list, 195
using, 189–195
ftpmail, 194
fullname
setting with chfn, 119
functionality, 20

games, 15
gateway address
defined, 144
gcc
upgrading, 127
gdb, 10
General Public License, 15–17, 201–207
getting help, 29
getty, 131
GNU, 6
General Public License, 15–17, 201–207
gprof, 10
grep, 77
groff, 7
group ID
defined, 117
groupadd, 119
groups, 88, 119
adding, 119
deleting, 119
groups, 119
gzip, 121

hacker, 17
halt, 116
hard drive
problems, 56
hard drives
device names for, 78
hardware
problems, 54–58
conflicts, 54–55
hard drive, 55–57
SCSI, 57–58
hardware support, 24–29
CD-ROM, 27
controller, 26
CPU, 25

drive space, 26
ethernet cards, 28, 142
hard drive, 26
memory, 25
mice, 27
modems, 28
monitor, 27
motherboard, 25
printers, 28
SCSI, 26, 27
tape drives, 27
video card, 27, 137
help
getting, 32–34
online, 75
home directory
~ to refer to, 69
defined, 68, 117
hostname
`hostname`, 132
defined, 64
setting, 132, 149
`hostname`, 149
HOWTO documents, 29, 159
HURD, 24

`ifconfig`, 145
`inetd`, 146
Ingres, 15
`init`, 131
initialization files
for shells, 109
initialization scripts
for shells, 108
`inittab`, 131
INN, 155
inode number
defined, 91
input
redirecting, 86
installation, 35–62
boot floppy, 50
booting Linux, 43
LILO, 50
`mke2fs`, 48–49
`mkswap`, 48
other procedures, 50
overview, 37–38
preparation, 37–42
problems, 51–62
booting, 52–54, 60
errors, 58
file permissions, 62
hardware, 54–58
LILO, 61
logging in, 61
media errors, 58
postinstallation, 60–62
repartitioning, 38, 41–42
Internet, 12, 36
mailing lists, 32
IP address
defined, 143
IRQ, 54

job
background, 93, 95, 96
kill, 95
defined, 93
forground, 93
interupt, 94
inturpting, 94
kill, 94
restarting, 96
stopping, 96
suspended, 94
job control, 4, 93–98
`jobs`, 95

kernal
compiling, 125
compiling compressed image, 126
sources for, 125
upgrading, 125
kernal image
compressed, 114
file name of, 114
kernel
features, 4–5

`kill`, 95

LaTeX, 7
libraries, 10
  fixing corrupted, 135
  shared, 5
  upgrading, 126
LILO, 50, 114–115
  as boot loader, 114
  installing, 115
  problems booting, 52
  problems installing, 61
  selecting default operating system for, 115
links, 91–92
  display number of, 91
  hard, 91
  symbolic, 92
Linux, 1–207
  and cost, 23
  bugs, 18
  commercial support, 33
  copying, 23
  copyright, 15–17, 201–207
  development, 18
  distributions, 19
  getting, 36
  history, 2
  installing, 35–62
  philosophy, 17–20
  pronunciation, 1
  sources of information, 29
  stability, 23
  system features, 4–5
Linux Documentation Project, 30, 160–161
Linux Software Map, 15, 159
Linux-Activists mailing list, 32
listing directory contents, 71–72
logging in, 64
  problems, 61
logging out
  with `exit` command, 66
login, 64
login name
  defined, 63
login shell
  defined, 109, 117
  setting with `chsh`, 119
`ls`, 71–72, 76
  listing file permissions with, 89

mail order, 37
mailer
  for e-mail, 155
mailers, 12
mailing lists, 32
  Linux-Activists, 32
`mailx`, 155
maintenance floppy, 133
`man`, 75, 77
manual pages, 75
master boot record, 39
Mbase, 15
METAFONT, 9
Microsoft Windows, 14
  emulator, 141
Minix, 3, 24
`mkdir`, 73, 76
`mke2fs`, 48–49
  for floppy disk, 123
`mkswap`, 48, 130
money, 23
`more`, 74, 77
Motif, 11
`mount`, 128
  mounting floppy disk with, 123
  to mount MS-DOS partition, 141
mount point
  defined, 124
move files, 73
MS-DOS, 21–22
  accessing files from, 14, 141
  emulator, 14, 141
  mounting partion under Linux, 141
  repartitioning, 41
  running programs from Linux, 141
  using Mtools to access files, 141
multitasking, 4

defined, 63
multiuser
defined, 63
`mv`, 73, 76

`named`, 147
nameserver address
defined, 144
NET-2, 142
support for serial line Internet protocol (SLIP), 142
NetBSD, 23
`netstat`, 149
network address
defined, 144
network mask
defined, 143
networking, 5, 12–13
and X Windows, 13
ethernet cards, supported, 28, 142
FTP, 12
NET-2, 142
news, 12, 155–157
NFS, 12, 147
NNTP, 12
PPP, 150
SLIP, 12, 142
TCP/IP, 141–154
UUCP, 13, 154–155
news, 155–157
client
defined, 155
news readers
defined, 155
`rn`, 155
`rn`, 155
server
C News, 155
defined, 155
INN, 155
UUCP, 154
news readers, 12
defined, 155
NFS, 147
null file, 78

operating sytems
booting non-Linux, 114, 115
OS/2, 22–23
output
redirecting, 85

parallel port
device name for, 78
parent directory, 67
`..` to refer to, 70
partition table, 39
partitions, 38, 40
`fdisk`, 41, 44–47
Linux, 43–44
size, 40
`passwd`, 67, 118
password
changing with `passwd`, 67
defined, 63
fixing root, 134
password file
format of, 117
pathname
absolute, 68
defined, 67
full, 68
relative, 68
permissions
changing, 90
defined, 88
dependencies of, 90
execute, 88
for shell scripts, 106
group, 119
interpreting, 89
of files, 88–91
problems, 62
read, 88
write, 88
pipelining
defined, 87
pipes
creating, 87

using, 86–87
POSIX.1, 4
Postgres, 15
PPP, 5, 150
process
background, 93
kill, 95
defined, 93
forground, 93
ID
defined, 93
interupt, 94
interupting, 94
kill, 94
`ps` to list, 93
programming, 10
core dumps, 5
languages, 10
libraries, 10
UNIX, 10
utilities, 10
protected mode, 5
`ps`, 93
pseudo-terminals, 79

`RAWRITE.EXE`, 36
`rc`, 131
files
defined, 145
for TCP/IP, 145
`rc.inet`, 145
`rc.inet1`, 145
sample, 145
`rc.inet2`, 145–146
sample, 147
`rc.local`, 131
`rc.net`, 145
`rdev`, 114
reading
suggested, 161–164
redirection
non-destructive, 88
standard input, 85
standard output, 85
repartitioning, 41–42
concepts, 38
`fdisk`, 41
under MS-DOS, 41
`FIPS`, 41
`rm`, 74, 76
`rmdir`, 74, 76
`rn`, 155
root
fixing password for, 134
root account, 110–111
eithical issues, 111
privleges of, 111
using different prompt for, 111
root device
setting name of with `rdev`, 114
root directory
defined, 68
root filesystem, 39
`route`, 145
entry in `/etc/networks` required for, 148
`routed`, 146

scientific software, 15
SCSI
problems, 57–58
SCSI devices
names for, 78
security, 112
`sendmail`, 155
serial line Internet protocol, 142, 150–154
serial ports
device names for, 78
`setenv`, 107
Seyon, 13
shareware, 16
shell script, 6
defined, 105
shell scripts
comments in, 105
defined, 81
initializtion, 108
permissions for, 106
variables in, 106

shell variables
  exporting to environment, 106
shells, 6, 81–82
  Bourne again shell, 81
  Bourne shell, 81
  C shell, 81
  defined, 65
  initializtion files, 109
  job control provided by, 93
  prompt, 65
  variables
    defined, 106
  wildcard characters for, 82–84
  wildcard expansion, 83
`shutdown` command, 51, 116
shutting down, 116
`slattach`, 150
SLIP, 5, 12, 142, 150–154
  connecting to servier with `dip`, 152
  device names for, 151
  dynamic IP address with `dip`, 152
  static IP address with `dip`, 150
  static IP address with `slattach`, 151
`Smail`, 155
software, 6–15
  `bash`, 7
  installing, 124–128
  `tcsh`, 7
  upgrading, 124–128
  where to find releases, 127
sound support, 15
sources of information, 158–164
stability, 23
standard input, 84–88
  redirecting, 86
standard output, 84–88
  redirecting, 85
standards, 4
startup scripts, 131
`startx`, 140
`slattach`
  static IP addresses with, 151
stdin, 84
stdout, 84
superblock
  defined, 134
  fixing corrupted, 134
swap file, 40, 130–131
  deleting, 131
swap partition
  in `/etc/fstab`, 129
swap space, 5, 40
  creating, 48
  creating temporary, 131
`swapoff`, 131
`swapon`, 129–130
`syslogd`, 146
system administration
  adding users, 116
  booting Linux, 113–115
  duties, 113
  security issues, 112
  shutting down, 116
system security, 112
system-defined accounts
  `root`, 110

Tanenbaum, Andy, 3
`tar`, 120
TCP/IP, 5, 12–13, 141–154
  `/etc/host.conf`, 148
  `/etc/hosts`, 147
  `/etc/networks`, 148
  `/etc/resolve.conf`, 148
  broadcast address, 144
  configuration scripts for, 145
  configuring, 143
  debugging, 149
  displaying routing tables, 149
  gateway address, 144
  hardware requirements for, 142
  `ifconfig`, 145
  `inetd`, 146
  IP address, 143
  `named`, 147
  nameserver address, 144
  NET-2 implementation of, 142
  network address, 144

network mask, 143
over serial line, 150–154
point-to-point connection, 150
PPP, 150
`rc.inet`, 145
`rc.inet1`, 145
sample, 145
`rc.inet2`, 145
sample, 147
`rc.net`, 145
`route`, 145
`routed`, 146
SLIP, 150–154
device names for, 151
dynamic IP address with `dip`, 152
static IP address with `dip`, 150
static IP address with `slattach`, 151
`syslogd`, 146
troubleshooting, 149
Tcsh, 81
`tcsh`, 81
telecommunications, 13–14
`term`, 13
TeX, 7
`texinfo`, 7
text editor
comparing, 98
defined, 98
text editors, 6
text processing, 7–9
`tin`, 155
Torvalds, Linus, 3, 18
transport
for e-mail, 155
trouble
running into, 51–62

UID
defined, 117
`umount`, 129
unmounting floppy disks with, 124
UNIX
basic concepts, 63–70
commercial, 17, 20, 23–24
directory structure, 68
for the PC, 23–24
free implementations, 23
manual pages for, 75
multitasking
defined, 63
popularity, 2
wizards, 1
unmounting filesystems, 129
upgrading, 20
USENET, 155–157
Linux-related newsgroups, 30
posting tips, 33
user account
creating, 64
user ID
defined, 117
`useradd`, 118
`userdel`, 118
username
defined, 117
users
adding, 116
adding with `adduser`, 118
adding with `useradd`, 118
changing fullname for, 119
changing login shell for, 119
deleting, 118
disabling, 118
full name of, 117
group ID of, 117
home directory of, 117
in groups, 88
list groups for, 119
login shell of, 117
password of, 117
setting attributes for, 118
setting guidelines for, 113
setting password for, 118
system security and, 112
user ID of, 117
username of, 117
UUCP, 13, 154–155

variables

environment, 107
in shell scripts, 106
shell, 106
vi, 6, 98–104
changing text, 101–102
command mode, 98
deleting text, 100–101
edit mode, 98
including files, 103
inserting text, 99–100
last line mode, 98
moving cursor, 102
quitting, 102
saving changes, 102
shell commands from, 104
starting, 99
switching files, 103
writing changes, 102
virtual consoles, 4, 78

wildcard characters
*, 82
?, 83
defined, 82
in filnames, 82–84
wildcard expansion
defined, 83
Windows NT, 22–23
WINE, 14
word processing, 9
working directory
defined, 68

X11R5, 136
Xconfig, 139
XFree86, 11, 136
configuration file for, 139
configuring, 139
hardware requirements for, 137
installing, 138
RAM requirements for, 138
video chipsets supported by, 137
xfsck, 130
X Window System, 11–12, 136–140
defined, 136
exiting, 140
starting, 140